

Gizmos and Gadgets

IPM Tools for Turfgrass Management

J. Bryan Unruh, Ph.D.
Extension Turf Specialist

UF UNIVERSITY of FLORIDA **Turfgrass Science**

Sprayer for testing on-site

Weed Systems, Inc.
www.weedsystems.com



This may be the best tool you can buy.

UF UNIVERSITY of FLORIDA **Turfgrass Science**

Plot Sprayer

- 2 liters will treat:
 - 1,150 ft² at 20 gpa
 - 575 ft² at 40 gpa
 - 384 ft² at 60 gpa
 - 287 ft² at 80 gpa




BELLSPRAY, INC.
aka
R & D
Sprayers
www.co2sprayers.com

UF UNIVERSITY of FLORIDA **Turfgrass Science**

TH2O “Theta” Soil Moisture Meter


- The TH2O takes accurate soil moisture samples with minimal disturbance.
- By simply inserting the probe into the ground, actual soil moisture percentage readings are given.
- The sensor sends a microwave signal and analyzes a reflected signal to measure the dielectric constant (theta) of the soil.
 - The dielectric reading is then converted to volumetric water content (+/-2% accuracy).



UF UNIVERSITY of FLORIDA **Turfgrass Science**

TH2O Soil Moisture Meter

- Watering needs can be quickly determined making it easy to remove the guesswork and errors.
- Determine the ideal moisture level for best play and looks.
- After saturation, determine the holding capacity of fairways, greens and tees.
- Spot check the greens and fields on hot days for syringing or for uneven irrigation application.
- After cutting a cup, check the perched water table or root zone.



www.dynamax.com

UF UNIVERSITY of FLORIDA **Turfgrass Science**



Application Rates


Product	Rate/oz/M <i>(lb = followed by)</i>	Ozs/Season
Tournament-Ready- pgm I....	8 fb 2.....	18
Revolution	6 fb 6 fb 6.....	18
Primer Select	4 fb 2.....	14
Magnus Upper Roots	4 fb 4 fb 5.....	12
Cascade Deeper Roots	8 fb 8.....	16
Tournament-Ready- pgm II....	8 fb 8.....	16




7

Table 1.

Volumetric Soil Water Content



% Hydrophobicity



Means with the same letter on the same rating date are not significantly different.

8

Really Cool Research at the University of Arkansas

Dr. Doug Karcher



Turfgrass Science

Treatments (2004 – 2005)



A. Irrigation Threshold Factor (whole-plots)







- 1) 12% - High
- 2) 10% - Moderately High
- 3) 8% - Moderately Low
- 4) 6% - Low




B. Wetting Agent Factor (sub-plots)

- 1) Revolution™ applied at a rate of 1.91 ml / m² / mo
- 2) Untreated Control





Field Scout TDR 300





FIELDSCOUT


The All-New Field Scout TDR 300. More Rugged Design and Field Ready!

NEW

- Based on proven time-domain measurement technology, these portable units accurately measure soil moisture across the full range of soil moisture conditions.
 - Probes are 1.5", 3", 4.8", or 8" to suit your desired depth measurement.
 - Install PVC access tubes and take readings deeper in the soil profile.
 - \$1,069.00 (+ rods) from Spectrum Technologies.


Spatial Variability




Your Field Name: Tam 1024 No.1a
 File Upload Name: TDR Practice Moisture 10-24 1.txt
 Sensor Model: TDR 300
 Sensor Type: Soil Moisture

Color Legend		Count
29.7 to 31.5	VWC	1
31.5 to 33.3	VWC	2
33.3 to 35.0	VWC	4
35.0 to 36.8	VWC	22
36.8 to 38.6	VWC	26
38.6 to 40.3	VWC	23
40.3 to 42.1	VWC	23
42.1 to 43.9	VWC	9


Application Slide: Comparison of soil moisture map before and after irrigation of a putting green. Third chart is map of catch can volumes collected during irrigation. Catch can locations the same as SM measurement locations.



Soil Moisture Before Irrigation



Soil Moisture After Irrigation




Catch Can Results

Irrigation Audit
SpecMaps & TDR 300


Audit Type	DU ₀	DU _n	RTM ₀	RTM _n
CC	64.0	80.2	1.6	1.2
TDR1	81.5	86.7	1.2	1.1
TDR2	83.1	88.5	1.2	1.1

Turf-Tec Digital Moisture Sensor

- Adjustable foot allows you to determine moisture at the 1", 2", 3" or 4" depths.
- Designed to work in all soil types and salinity ranges.
- The Turf-Tec Digital Moisture Sensor uses a newly designed electrical conductivity sensing circuit that gives quick and reliable readings of soil moisture.




www.turf-tec.com
\$600.00





Field Scout SC-900 Soil Compaction Meter

- Soil compaction meters (penetrometers) are used to determine the density of soil and other material.
- Compaction data is recorded and displayed, at one inch intervals, in PSI or kPa.



1. Name	Team Turf								
2. Serial #	200								
3. Column	WGS 84								
4. Soil Compaction in PSI									
5. Longitude Latitude	Number	0 m	1 m	2 m	3 m	4 m	5 m	6 m	
Logger Started									
101	W-1	81	81	107	102	76	122	173	
102	W-2	132	137	224	300	310	366	381	
103	W-3	117	122	178	200	210	265	305	
104	W-4	137	152	183	234	270	290	234	
105	W-5	153	163	178	234	260	260	265	
106	W-6	132	137	173	275	295	351	0	
107	W-7	168	148	200	260	295	358	355	
108	W-8	112	107	178	214	249	270	310	
109	W-9	137	137	155	220	428	435	407	
110	W-10	155	158	190	270	310	361	377	
Logger Started									
111	W-1	153	152	199	204	260	310	367	
112	W-2	265	107	132	230	234	249	249	
113	W-3	102	102	175	234	360	430	453	
114	W-4	5	5	122	178	331	361	407	
115	W-5	117	143	150	199	234	249	234	
116	W-6	137	163	249	305	358	367	0	
117	W-7	132	137	183	229	224	214	168	
118	W-8	122	122	178	234	121	186	305	
119	W-9	143	204	234	265	295	305	361	
120	W-10	15	168	143	178	209	234	234	
Logger Started									
121	W-1	107	153	173	153	168	132	168	
122	W-2	122	107	137	163	199	239	265	
123	W-3	132	132	183	264	234	244	249	
124	W-4	112	117	143	163	260	347	372	
125	W-5	143	143	173	178	265	270	310	
126	W-6	112	107	163	264	269	214	199	
127	W-7	107	117	153	260	275	326	366	
128	W-8	102	143	193	214	260	300	305	
129	W-9	112	122	183	178	160	173	122	
130	W-10	117	199	209	234	234	270	347	
Logger Started									





SC-900 Soil Compaction Meter

\$1,795.00 from
Spectrum Technologies, Inc.

www.specmeters.com

Clegg Impact Soil Tester— H-4196A

www.humboldtmg.com
~ \$3,500.00

Field Scout® TruFirm (Turf Firmness Meter)

- Measures the relationship between the compaction of the soil and the moisture level.

Field Scout® TruFirm (Turf Firmness Meter)

- The mass is dropped from a consistent height and the maximum turf penetration value is recorded and correlated to the surface firmness — the lower the penetration value, the firmer the turf.

Field Scout® TruFirm (Turf Firmness Meter)

- Common applications for TruFirm include:
 - Golf course greens for better playing conditions and fewer ball marks.
 - Fairway landing areas for longer drives.
 - Green approach areas for chip and run play.
 - Bunker sands for moisture retention and greater ball control.




Field Scout® TruFirm (Turf Firmness Meter)

\$749 - \$899 from
Spectrum Technologies, Inc.
www.specmeters.com

UF UNIVERSITY of FLORIDA Turfgrass Science


Field Scout® Direct Soil EC probe

- The unit permits instant, accurate measurement of salts in soil as well as water or nutrient solutions.
 - Use this portable EC meter and probe to measure soil salinity right on the spot, without conducting tedious soil sampling and soil preparation.
 - Available for \$379.00 - \$465.00 from Spectrum Technologies, Inc. (www.specmeters.com)



UF UNIVERSITY of FLORIDA Turfgrass Science

Field Scout® Direct Soil EC probe



$EC (dS/m) = (\text{meter reading} \times 2.7) + 0.8$

Meter	Extract EC	Meter	Extract EC	Meter	Extract EC
0.1	1.1	1.1	3.8	2.1	6.5
0.2	1.3	1.2	4.0	2.2	6.7
0.3	1.6	1.3	4.3	2.3	7.0
0.4	1.9	1.4	4.6	2.4	7.3
0.5	2.2	1.5	4.9	2.5	7.6
0.6	2.4	1.6	5.1	2.6	7.8
0.7	2.7	1.7	5.4	2.7	8.1
0.8	3.0	1.8	5.7	2.8	8.4
0.9	3.2	1.9	5.9	2.9	8.6
1.0	3.5	2.0	6.2	3.0	8.9

UF UNIVERSITY of FLORIDA Turfgrass Science

Field Scout® Direct Soil EC probe

- Protocol for in-office EC measurements (most accurate method):
 - Obtain a representative soil sample, about 50cc (about 2 oz) in a small cup.
 - Add your irrigation water while stirring until the soil surface glistens.
 - Don't add too much water.
 - If the water can be poured off, you've added too much and you will need to start over or add dry soil.
 - Stick the probe into the soil so the electrodes are completely immersed in the soil.
 - Read the meter and convert the meter reading.
 - Record the converted value for future reference.

UF UNIVERSITY of FLORIDA Turfgrass Science


Field Scout® Direct Soil EC probe

- Protocol for in-field EC measurements:
 - Saturate the area of the green to be evaluated with irrigation water.
 - The soil must be saturated to obtain an accurate reading.
 - Stick the probe into the soil so the electrodes are completely immersed in the soil.
 - Read the meter and convert the meter reading.
 - Record the converted value for future reference.

UF UNIVERSITY of FLORIDA Turfgrass Science

Digital Thermometer & Bead Thermocouple

- One can easily monitor canopy temperatures using relatively inexpensive equipment.
 - Digital thermometer (Extech 421502, Grainger #4PC60: \$178.00)
 - Bead thermocouple (Fluke, Grainger #1T322: \$46.60).
- To determine the canopy temperature, thread the bead into the turf in an area between the base of the foliage and the thatch layer.
- Take measurements during the hottest part of the day allowing a few moments for the unit to equilibrate.



UF UNIVERSITY of FLORIDA Turfgrass Science

Canopy Temperature

- Select a minimum of three greens where you will do the bulk of your turf canopy monitoring.
 - Your best bet is usually to choose those greens that have failed in the past during hot weather.
- Begin turf canopy temperature monitoring when maximum air temperatures for the day reach 85 °F.
 - Monitor and record turf canopy temperatures every day that the maximum air temperatures reaches 85 °F or higher.



www.paceturf.org

Turfgrass Science

Canopy Temperature

- To measure turf canopy temperatures, make measurements during the hottest part of the day (usually around 2:00 pm).
 - Place the bead in the area between the base of the foliage and the top of the thatch layer.
 - Allow a few moments for the thermometer to equilibrate, and for the reading to remain stable.
 - Record the readings in a hardbound notebook, with a ballpoint pen, so that your records remain legible for years to come.
- Begin preventive cooling programs (syringing, fans or blowers if necessary) when turf canopy temperatures reach 100 °F for poa, or 105 °F for bentgrass.



www.paceturf.org

Turfgrass Science

Infrared Thermometer

- Useful for measuring surface temperatures.
- Can be purchased from www.instrumart.com
 - Raytek Raynger ST20, \$169.00



45

Low Mowing Fatigue

- Our observations have shown that raising the height of cut from 115/1000^{ths} to 130/1000^{ths} lowered canopy temperatures by as much as 30 °F.



www.grainger.com

Turfgrass Science



Light Meters

- Quantum sensors measure light energy at the specific wavelengths plants actually use for photosynthesis.
- All quantum meters here measure Photosynthetic Photon Flux (PPF) as $\mu\text{mol m}^{-2} \text{s}^{-1}$ for Photosynthetically Active Radiation (PAR) in the range of 400 to 700 nm.
- \$199.00



UF UNIVERSITY of FLORIDA www.specmeters.com Turfgrass Science


Li-Cor LI-250 Light Meter

- This Quantum Light Meter provides direct digital readout of 15 second averages.
- Measures μmol , lux k lux or watts/m^2
- ~ \$670.00



www.forestry-suppliers.com

Average Monthly Solar Radiation



Research @ UF

Brian Glenn, J. Bryan Unruh, Jason Kruse



UF UNIVERSITY of FLORIDA Turfgrass Science

LightScout DLI 100 Light Meter

- Compare light between locations
- Displays light intensity levels every 4 seconds for 24 hours
- Measure PAR light (Photosynthetically Active Radiation)
- Meter runs for 24 hours and calculates your Daily Light Integral (DLI)
- Packaged in sets of 3 light meters, or individually



www.specmeters.com
\$59/each; \$169/three

IPM Scope

- The IPM Scope combines a digital camera, precision optics and LED lighting into a powerful handheld microscope and imaging software package.
 - Zoom in on fine details of plant disease symptoms, or insects.
- \$349.00 - \$795.00

www.specmeters.com
www.turf-tec.com



IPM Scope shown with optional Photo Microscope to view 3D images

IPM Scope CAM2

- Digital microscope helps you view images in the field without connection to a PC.
 - Transfer images via SD Card or USB cable to PC.



UF UNIVERSITY of FLORIDA

www.specmeters.com
\$445.00

Turfgrass Science

www.gatorturf.com
<http://edis.ifas.ufl.edu>

facebook

www.facebook.com/gatorturf

www.facebook.com/UFTurf

J. Bryan Unruh, Ph.D.
West Florida Research and Education Center
University of Florida/IFAS
jbu@ufl.edu

UF UNIVERSITY of FLORIDA

Turfgrass Science